



www.esbe.se



SERIES 90




NO.1 IN HYDRONIC SYSTEM CONTROL



Series 90

CE
LVD 2006/95/EC
EMC 89/336/EEC
RoHS 2002/95/EEC



3MG, 4MG, 5MG



3G, 4G



3F, 4F ≤ DN50



BIV



T, TM



3HG, 4HG, 3H, 4H




VRG130, VRG140




VRG230, VRB140

Mtrl.nr. 9814 01 50 • Ritn.nr. 3399 utg. F • Rev. 0806





+




ADAPTER KIT VRG801



ADAPTER KIT VRG900

+



VRG130, VRG230

VRG140, VRB140

+



3G, 4G





3F, 4F


3MG, 4MG, 5MG

BIV


T, TM

3HG, 4HG, 3H, 4H

3a 97 - 98**3b 91P - 92P, 92P2, 92P4****3c 91 - 96, 90SL****3d 91M - 96M**




CW CCW




91P	92P	92P2	92P4
15 s ☐	60 s ☐	120 s ☐	130 s ☐
30 s ☐	90 s ☐	180 s ☐	260 s ☐
45 s ☐	120 s ☐	240 s ☐	390 s ☐
15 s ☐	60 s ☐	120 s ☐	130 s ☐
30 s ☐	90 s ☐	180 s ☐	260 s ☐
45 s ☐	120 s ☐	240 s ☐	390 s ☐

	Reverse ☐
	Reverse ☐
0-20 mA	OFS ☐ DIV ☐ CUR ☐
4-20 mA	OFS ☐ DIV ☐ CUR ☐
0-10 V	OFS ☐ DIV ☐ CUR ☐
2-10 V	OFS ☐ DIV ☐ CUR ☐
0-5 V	OFS ☐ DIV ☐ CUR ☐
1-5 V	OFS ☐ DIV ☐ CUR ☐




91M-96M, 90-270M



91-96, 91M-96M, 90SL, 97-98




(▷) 90°



90-270M




(▷) 270°



92P2



(▷) 180°



92P4



(▷) 355°

